

# Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>MEAN WELL Enterprises Co., Ltd.</b>	Other Name	
Address	<b>No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan</b>		
Client ID	<b>107669</b>	Global-Mark File Number:	<b>107669-019</b>
Certification and Authorized Mark Number	<b>GMA-512463</b>	Revision Number	<b>00</b>
Certification Standard(s)	<b>AS 61347.2.13:2018 &amp; AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.</b>		
Type of Certification	<b>Electrical Safety Product</b>	Scheme	<b>Global-Mark Electrical Product Safety Certification Scheme</b>
			System 1 Approval

## CERTIFICATE DATES

Certificate Issue Date	<b>8/06/2022</b>
Certificate Last Update Date	
Certification Expiry Date	<b>8/06/2027</b>

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54-107Vdc, max. 115 Vdc, 1.4A, 149.8W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1400BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 54-95 Vdc, max. 115 Vdc VAUX: 15 Vdc IO: 1.4 A IAUX: 300 mA W0: 133 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 43-86 Vdc, max. 94 Vdc, 1.75A, 150.5W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C1750BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 43-76 Vdc, max. 94 Vdc VAUX: 15 Vdc IO: 1.75 A IAUX: 300 mA W0: 133 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager




# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36-72 Vdc, max. 80 Vdc, 2.1A, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-C2100BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 36-64 Vdc, max. 80V VAUX: 15 Vdc IO: 2.1 A IAUX: 300 mA W0: 134.4 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-12	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150--12AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 12 Vdc, 120W
Non declared	Independent LED driver	MEAN WELL	ELG-150-12BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 12 Vdc VAUX: 15 Vdc IO: 8 A IAUX: 300 mA W0: 96 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-24	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager








global-mark®

# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-24A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150--24AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 24 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-24BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 24 Vdc VAUX: 15 Vdc IO:5.6 A IAUX: 300 mA W0: 134.4 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-36	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-36D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 36 Vdc, 150.1W
Non declared	Independent LED driver	MEAN WELL	ELG-150-36BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 36 Vdc VAUX: 15 Vdc IO:3.73 A IAUX: 300 mA W0: 134.28 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-42	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W
Non declared	Independent LED driver	MEAN WELL	ELG-150-42AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 42 Vdc, 150W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-42BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 42 Vdc VAUX: 15 Vdc IO:3.2 A IAUX: 300 mA W0: 134.4 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-48	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 48 Vdc, 150.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-48BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 48 Vdc VAUX: 15 Vdc IO:2.8 A IAUX: 300 mA W0: 134.4 WAUX: 4.5
Non declared	Independent LED driver	MEAN WELL	ELG-150-54	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54A	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54B	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Suitability

Non declared	Independent LED driver	MEAN WELL	ELG-150-54AB	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54D	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54D2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54DA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54ADA	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54AD2	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: 54 Vdc, 151.2W
Non declared	Independent LED driver	MEAN WELL	ELG-150-54BE	Input: 100-240 Vac, 1.7 A, 50/60 Hz Output: VO: 54 Vdc VAUX: 15 Vdc IO: 2.5 A IAUX: 300 mA W0: 135 WAUX: 4.5

## RELEVANT TRADEMARK (S)

## COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installation to be connected with only 3 core supply flexible cords.

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

